


B



MB

4

3

2


1

Connections			
	Name	Spec.	Fitting
a	Bottom Dump	2	TC
b	Racking Arm	1.5	DIN
c	CIP Inlet	1.5	TC
d	Manway	530x430	Weld
e	Pressure Gauge	1.5	TC
f	Pt100 Thermowell	1.5	TC
g	Thermometer	1.5	TC
h	Sample Valve	1.5	TC
i	PVRV	1.5	TC
j	Hop Port	4	TC
k	CIP Port	4	TC
l	Blow Off Pipe	1.5	TC
m 1-4	Glycol Port	3/4	FNPT
n	CO2 Stone	1.5	TC

Design Data		
Parameter	Vessel	Jacket
Pressure	1 BAR	1 BAR
Design Pressure	2 BAR	4 BAR
Working Temperature	-5 to 40 C	
Design Temperature	-5 to 40 C	
Medium	Beer	
Medium Density	1.040	
Main Compressive Component	304	
Gross Volume	17.8bbl	
Net Volume	15 bbl	
PRV Release	1 BAR	
Cooling Exchange Area	37.8 ft^2	
Insulation	2" PU	

Dimensions	
Height	109
Width	58
Weight	1058

1. The inner wall shall be flat. The inner welds shall be ground. Concave cover arris and scratch marks are not allowed.
2. Inner Surface
 - a. The cone & head welding seam shall be polished to Ra <.6 μM.
 - b. The inner wall shall be 2B finish.
 - c. The inner surface shall be pickled and passivated
3. The outer surface shall be polished to Ra <1.2 μM
4. After tank completion the tank shall be pressure tested to 3 BAR gauge water pressure. The jacket shall be pressure tested to 6 BAR for 12 hours. Testing shall be performed in the upright position.



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
MOREFLAVOR INC. ANY REPRODUCTION
IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
MOREFLAVOR INC. IS PROHIBITED.

	NAME	DATE	TITLE: MB Fermenter CON4015-MB		
DRAWN	CSK	7/21/22			
CHECKED			SIZE B	DWG. NO. 15 bbl	REV
ENG APPR.			1:15	WEIGHT:	SHEET 1 OF 2
MFG APPR.					
Q.A.					
COMMENTS: DO NOT SCALE DRAWING DIMENSIONS ARE IN INCHES					

B

A

